Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Sulfuric Acid 93%
Product code	: M16020
1.2. Recommended use and restrictions	on use
No additional information available	
1.3. Supplier	
JR Simplot Company	
P.O. Box 70013	
Boise, ID 83707	
T 1-208-336-2110	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC 1-800-424-9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	ixture
GHS-US classification	
Skin corrosion/irritation, H314	Causes severe skin burns and eye damage
Category 1A	Sauses severe skin burns and eye damage
Specific target organ H335	May cause respiratory irritation
toxicity — Single exposure, Category 3, Respiratory	
tract irritation	
Full text of H statements : see section 16	
2.2. GHS Label elements, including preca	sutionary statements
2.2. GHS Label elements, including preca	autorially statements
GHS-US labelling	
GHS-US labelling Hazard pictograms (GHS-US)	
GHS-US labelling Hazard pictograms (GHS-US)	
_	
-	
Hazard pictograms (GHS-US)	
Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger
Hazard pictograms (GHS-US)	
Hazard pictograms (GHS-US) Signal word (GHS-US)	 : Danger : H314 - Causes severe skin burns and eye damage
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation P260 - Do not breathe dust/fume/gas/mist/vapours/spray P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Image is a series of the series o
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Vertical and the second se
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Very and the second second
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Very and the second second
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Weight of the second second
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Weight of the second second
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : We have a series of the series of
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Weight of the second second
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : With the end of the en
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Washington (Section 2014) Washington 2014)
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : We have a series of the series of
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation P260 - Do not breathe dust/fume/gas/mist/vapours/spray P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center/doctor/ P312 - Call a poison center/doctor/ P312 - Call a poison center/doctor/ P312 - Specific treatment (see supplemental first aid instruction on this label) P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture			
Name	Product identifier	%	GHS-US classification
sulfuric acid	(CAS No) 7664-93-9	93	Skin Corr. 1A, H314
Water	(CAS No) 7732-18-5	7	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.	
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects	s (acute and delayed)	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/injuries	: Causes severe skin burns and eye damage.	
4.3. Immediate medical attention and spe	cial treatment, if necessary	
Treat symptomatically.		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	ng media	
Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Specific hazards arising from the che	mical	
Reactivity	: Thermal decomposition generates : Corrosive vapours.	
5.3. Special protective equipment and pre	cautions for fire-fighters	
	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release meas	ures	
6.1. Personal precautions, protective equ	ipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Prevent entry to	sewers and public waters. Notify authorities if liquid enters sewers or public waters.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Met	Methods and material for containment and cleaning up	
Methods for cl	leaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other informat	tion	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight.		

SECTION 8: Exposure controls/personal protection

3.1. Control parameters			
Sulfuric Acid 93%			
ACGIH	ACGIH TWA (mg/m ³)	0.2	
ACGIH	ACGIH TWA (ppm)	0.0498 ppm	
OSHA	OSHA PEL (TWA) (mg/m ³)	1	
OSHA	OSHA PEL (TWA) (ppm)	0.25	
sulfuric acid (7664-93-9)			
Not applicable			
Water (7732-18-5)			
Not applicable			

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.

nvironmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Face shield. Gas mask at concentration in the air > > TLV. Gloves. Protective goggles. Head/neck protection. Corrosionproof clothing.

Materials for protective clothing:

Condition	Material
Excellent resistance:	Chlorinated polyethylene, Polyvinylchloride (PVC), Viton
Good resistance:	neoprene/butyl rubber, Neoprene/viton®
Poor resistance:	Butyl rubber, Neoprene, Nitrile rubber, Tyvek®

Hand protection:

Protective gloves made of PVC. A face shield is required when cleaning equipment

Eye protection:

Chemical goggles or face shield. Safety glasses

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Туре

apron, Chemically resistant protective gloves, Face shield, Goggles

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition
Full face mask, Powered Air-Purifying Respirator (PAPR)	Gas/vapour filter	Gas protection, If conc. in air > exposure limit, Mist formation, Vapour protection
Supplied-Air Respirator (SAR), Full face mask, Self-contained breathing apparatus (SCBA)		Gas protection, Long term exposure

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Colour	: Colourless
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
0.2 Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2.	Chemical stability	
Stable. Not established.		
10.3.	Possibility of hazardous reactions	
Not established.		
10.4.	Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.		
10.5.	Incompatible materials	
Strong acids. Strong bases.		

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Sulfuric Acid 93%		
LD50 oral rat	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	18 - 420 mg/m ³	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
sulfuric acid (7664-93-9)		
IARC group	1 - Carcinogenic to humans	
National Toxicology Program (NTP) Status	Known Human Carcinogens	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/injuries	: Causes severe skin burns and eye damage.	
SECTION 12: Ecological information		

The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.		
42 - 500 mg/l		
28 - 88 mg/l		
sulfuric acid (7664-93-9)		
42 mg/l (96 h; Gambusia affinis)		
29 mg/l (24 h; Daphnia magna)		
49 mg/l (48 h; Lepomis macrochirus)		
42 mg/l (96 h; Gambusia affinis)		
6900 mg/l (24 h; Pseudomonas fluorescens)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Persistence and degradability			
Sulfuric Acid 93%			
Persistence and degradability	Not established.		
sulfuric acid (7664-93-9)			
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
Water (7732-18-5)			
Persistence and degradability	Not established.		
I2.3. Bioaccumulative potential			
Sulfuric Acid 93%			
Bioaccumulative potential	Not established.		
sulfuric acid (7664-93-9)			
Log Pow	-2.2 (Estimated value)		
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.		
Water (7732-18-5)			
Bioaccumulative potential	Not established.		
2.4. Mobility in soil			
lo additional information available			
2.5. Other adverse effects			
Effect on the global warming	: No known effects from this product.		
GWPmix comment	: No known effects from this product.		
Other information	: Avoid release to the environment.		
SECTION 13: Disposal consideration	1S		
13.1. Disposal methods			
Vaste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to		
Ecology - waste materials	: Avoid release to the environment.		
SECTION 14: Transport information			
Department of Transportation (DOT)			
n accordance with DOT			
Fransport document description	: UN1830 Sulfuric acid, 8, II		

UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

- : UN1830
- : Sulfuric acid
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : II Medium Danger
- : 8 Corrosive



Safety Data Sheet ccording to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations			
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202			
DOT Packaging Bulk (49 CFR 173.xxx)	: 242			
DOT Special Provisions (49 CFR 172.102)	 A3 - For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packagings. A7 - Steel packagings must be corrosion-resistant or have protection against corrosion. 			
	B3 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks and DOT 57 portable tanks are not authorized. B83 - Bottom outlets are prohibited on tank car tanks transporting sulfuric acid in			
	concentrations over 65.25 percent.			
	B84 - Packagings must be protected with non-metallic linings impervious to the lading or have suitable corrosion allowance for sulfuric acid or spent sulfuric acid in concentration up to 65.25 percent.			
	IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.			
	N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. T8 - 4 178.274(d)(2) Normal			
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by th following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) an the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. Foi liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP12 - This material is considered highly corrosive to steel.			
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)				
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L			
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vesse			
Transport/Additional information	: 14 - For metal drums, stowage permitted under deck on cargo vessels			
Other information	: No supplementary information available.			
TDG				
Transport by sea				
Transport document description (IMDG)	: UN 1830 SULPHURIC ACID, 8, II			
UN-No. (IMDG)	: 1830			
Proper Shipping Name (IMDG)	: SULPHURIC ACID			
Class (IMDG)	: 8 - Corrosive substances			
Packing group (IMDG)	: II - substances presenting medium danger			
Limited quantities (IMDG)	: 1L			
Air transport				
Transport document description (IATA)	: UN 1830 Sulphuric acid, 8, II			
UN-No. (IATA)	: 1830			
Proper Shipping Name (IATA)	: Sulphuric acid			
Class (IATA)	: 8 - Corrosives			

: II - Mediun	n Danger
---------------	----------

SECTION 15: Regulatory information

15.1. US Federal regulations

Sulfuric Acid 93%

Sulfuric Acid 93%

Packing group (IATA)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

sulfuric acid		CAS No 7664-93-9	93%
sulfuric acid (7664-93-9)			
CERCLA RQ	1000 lb		
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb		

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

sulfuric acid (7664-93-9)	
Listed on IARC (International Agency for Research on Cancer)	
Listed as carcinogen on NTP (National Toxicology Program)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

sulfuric acid (7664-93-9)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SE	CTION 16: Other informatic	on la constant de la	
Data sources		REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Oth	er information	: None.	
Full	text of H-statements:		
	H314	Causes severe skin burns and eye damage	
	H335	May cause respiratory irritation	

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.